

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C07H 21/00, C12Q 1/68, G01N 33/58, 33/68		A1	(11) International Publication Number: WO 00/02895
(21) International Application Number: PCT/GB99/02257		(43) International Publication Date: 20 January 2000 (20.01.00)	
(22) International Filing Date: 13 July 1999 (13.07.99)		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(30) Priority Data: 9815163.2 13 July 1998 (13.07.98) GB		<p>Published</p> <p><i>With international search report.</i></p> <p><i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	
(71) Applicant (for all designated States except US): BRAX GROUP LIMITED [GB/GB]; 13 Station Road, Cambridge CB1 2JB (GB).			
(72) Inventors; and (75) Inventors/Applicants (for US only): SCHMIDT, Günter [DE/GB]; Houghton Manor, Houghton, Cambs PE17 2BQ (GB). THOMPSON, Andrew, Hugin [GB/GB]; 25 Knoll Park, Alloway, Ayr KA7 4RH (GB). JOHNSTONE, Robert, Alexander, Walker [GB/GB]; 39 Poulton Road, Bebbington L63 9LD (GB).			
(74) Agents: DANIELS, Jeffrey, Nicholas et al.; Page White & Farrer, 54 Doughty Street, London WC1N 2LS (GB).			

(54) Title: **ARYLSULFONE LINKERS FOR MASS SPECTROMETRIC ANALYSIS**

(57) Abstract

Provided is a method for characterising an analyte, which method comprises: (a) providing a compound in which the analyte is attached by a cleavable linker to a reporter group relatable to the analyte, the compound having formula (I) wherein either R comprises the reporter group and R' comprises the analyte, or R comprises the analyte and R' comprises the reporter group, and wherein n is 1 or 2; (b) cleaving the reporter group from the analyte; and (c) identifying the reporter group, thereby characterising the analyte.

